HOISTWAY 90 /ADJACENT EXIT PLATFORM (NO PIT) (COMM) VPL-3300B SERIES VERTICAL PLATFORM LIFT

TECHNICAL DATA/SPECIFICATIONS

RATED LOAD: 750 lbs maximum.

INPUT POWER SOURCE:

-DC BATTERY POWERED UNIT: 110-120 Volt 3 Amp 60 Hz battery charger.

DRIVE:

-DC BATTERY POWERED UNIT: VPL-3353B/VPL-3375B:

1/2 hp motor, 1750 rpm, 24 VDC, continuous duty.

VPL-3310B/VPL-3312B/VPL-3314B:

1 hp motor, 1750 rpm, 24 VDC, continuous duty.

Dual 4L style Poly-V belts and pulleys, 3.94:1 pulley reduction. INTERMEDIATE REDUCTION:

VPL-3353B/VPL-3375B: FINAL DRIVE:

1" dia. ACME screw w/bronze nut and bronze safety back up nut.

VPL-3310B/VPL3312B/VPL-3314B:

1.25" dia. ACME screw w/bronze nut and bronze safety back up nut.

MOTOR CONTROLLER:

24 VDC Relay control. -DC BATTERY POWERED UNIT:

SPEED:

-DC BATTERY POWERED UNIT: 10 feet per minute maximum

For complete technical specifications please see ILS-01100 "VPL-3300B Series Commercial Vertical Platform Lift Technical Specification"

PERFORMANCE STANDARDS


USA FOOD & DRUG ADMINISTRATION: CLASS II, 510(K) Exempt, File No. 890.3930,


Product Code: PCE


ASME A18.1-2011 (Section 2) Safety Standards for Platform Lifts and Stairway Chairlifts

CSA B355-09 Lifts for Persons with Physical Disabilities


CSA B44.1-11/ASME-A17.5-2011 Elevator and Escalator Electrical Equipment







HOISTWAY 90 /ADJACENT EXIT PLATFORM (NO PIT) (COMM) VPL-3300B SERIES VERTICAL PLATFORM LIFT




(RIGHT HAND UNIT SHOWN)

. HOISTWAY IN ACCORDANCE WITH SAFETY CODES (ASME -A18.1) AND TO LOCAL CODES AND REGULATIONS. HOISTWAY TO BE FIRE RATED IN ACCORDANCE WITH APPLICABLE BUILDING CODES IF REQUIRED BY SUCH CODES.

2. PLUMB HOISTWAY DUE TO CLOSE RUNNING CLEARANCES. MUST BE CONSTRUCTED PLUMB (±1/8 IN) AND SQUARE AND TO SIZE SHOWN.

3. NO CONDUIT, WIRING OR PIPING OTHER THAN THAT PERTAINING TO THE UNIT IS PERMITTED IN THE HOISTWAY.





HOISTWAY 90°/ADJACENT EXIT PLATFORM (NO PIT) (COMM) VPL-3300B SERIES VERTICAL PLATFORM LIFT ANCHOR POINT LOCATIONS/SLAB DETAIL

TECHNICAL SPECIFICATIONS


FLOOR ATTACHMENT:

VPL MUST BE FASTENED TO CONCRETE SLAB USING FOUR (4) 1/2" (3/8" BOLT) X MINIMUM 2-1/2" LONG CONCRETE ANCHORS SUITABLE FOR THE ENVIRONMENT. FOLLOW SELECTED CONCRETE ANCHOR MANUFACTURERS GUIDELINES AND APPLICABLE CODES.

FLOOR REQUIREMENTS:


4" THICK 3500 PSI MINIMUM COMPRESSIVE STRENGTH, REINFORCED CONCRETE SLAB.

For complete technical specifications please see ILS-01100 "VPL-3300B Series Commercial Vertical Platform Lift Technical Specification"



1111170 VA/1711 00°	/ABIAGENIE EVI	
UNITS WITH 90 $^{\circ}$	/ADJACENI EXI	I PLAIFORM

	Н	J	K	LMIN	L MAX
36" X 4 8 " P L A T F O R M	7-5/8"	12-1/16"	50-13/16" - 52-3/16"	52-1/16"	52-7/16"
36" X 5 4 " P L A T F O R M	10-5/8"	15-1/16"	56-13/16" - 58-3/16"	52-1/16"	52-7/16"
36" X 6 0 " P L A T F O R M	13-5/8"	18-1/16"	62-13/16" - 64-3/16"	52-1/16"	52-7/16"
42" X 6 0 " P L A T F O R M	13-5/8"	18-1/16"	62-13/16" - 64-3/16"	58-1/16"	58-7/16"





Bruno Independent Living Aids, Inc. reserves the right to modify or make changes to these specifications at any time with out notice.